Canadian Journal of Forest Research

Revue canadienne de recherche forestière

Contents
Volume 25, 1995

Sommaire
Volume 25, 1995

January / Janvier

M. Carol Alosi Carter, Rima M. Kulikauskas, and Roderic B. Park Structure and expression of ubiquitin gene transcripts in pine 1

Stephen J. McCanny, William H. Hendershot, Martin J. Lechowicz, and Bill Shipley The effects of aluminum on *Picea rubens*: factorial experiments using sand culture 8

B.J. Hawkins, M. Davradou, D. Pier, and R. Shortt Frost hardiness and winter photosynthesis of *Thuja plicata* and *Pseudotsuga menziesii* seedlings grown at three rates of nitrogen and phosphorus supply 18

G. Geoff Wang White spruce site index in relation to soil, understory vegetation, and foliar nutrients 29

Lawrence B. Flanagan and Kurt H. Johnsen Genetic variation in carbon isotope discrimination and its relationship to growth under field conditions in full-sib families of *Picea mariana* 39

Yude Pan and Dudley J. Raynal Predicting growth of plantation conifers in the Adirondack Mountains in response to climate change 48

Jari Hynynen Predicting tree crown ratio for unthinned and thinned Scots pine stands 57

R.G. Fraser, J.D. Beale, and R.J. Nevill Reduction of *Phellinus weirii* inoculum in Douglas-fir stumps by the fumigant Telone II-B 63

P.W. West and G.H.R. Osler Growth response to thinning and its relation to site resources in *Eucalyptus regnans* 69

Yimin Zhang and Myron J. Mitchell Phosphorus cycling in a hardwood forest in the Adirondack Mountains, New York 81

Mark E. Fenn, Mark A. Poth, Andrzej Bytnerowicz, and George H. Riechers Throughfall chemistry of ponderosa pine exposed to wet and dry acidic deposition, drought, ozone, and nitric acid 88

Kesara Anamthawat-Jónsson and J.S. Heslop-Harrison Molecular cytogenetics of Icelandic birch species: physical mapping by in situ hybridization and rDNA polymorphism 101

Alberto Panconesi, Niccolò Casini, Alberto Santini, and Federico M. Stefanini Effect of *Seiridium cardinale* on growth of cypress (*Cupressus sempervirens*) clones 109

James A. Entry and William H. Emmingham Influence of forest age on nutrient availability and storage in coniferous soils of the Oregon Coast Range 114

Hans T. Schreuder and M.S. Williams Design-based estimation of forest volume within a model-based sample selection framework 121

Bryce G. McInnis and Mark R. Roberts Seedling microenvironment in full-tree and tree-length logging slash 128

Timothy G. Gregoire, Oliver Schabenberger, and James P. Barrett Linear modelling of irregularly spaced, unbalanced, longitudinal data from permanent-plot measurements 137

J. Trencia Identification de descripteurs morphométriques sensibles aux conditions générales de croissance des semis de chêne rouge (*Quercus rubra*) en milieu naturel 157

NOTES

Richard L. Boyce Patterns of foliar injury to red spruce on Whiteface Mountain, New York, during a high-injury winter 166

Robert L. Bailey Upper stem volumes from stem analysis data: an overlapping bolts method 170

Instructions to Authors iii

Recommandations aux auteurs vii

Research Journals Publication Policy xi

Revues scientifiques, Politique de publication xiv

February / Février

B. Blackwell, M.C. Feller, and R. Trowbridge Conversion of dense lodgepole pine stands in west-central British Columbia into young lodgepole pine plantations using prescribed fire. 2. Effects of burning treatments on tree seedling establishment 175

J.J. Philipson Effects of cultural treatments and gibberellin $A_{4/7}$ on flowering of container-grown European and Japanese larch 184

M. Michelozzi, T.L. White, A.E. Squillace, and W.J. Lowe Monoterpene composition and fusiform rust resistance in slash and loblolly pines 193

V. Palomäki and T. Holopainen Effects of nitrogen deficiency and recovery fertilization on ultrastructure, growth, and mineral concentrations of Scots pine needles 198

J.S. Shumway and H.N. Chappell Preliminary DRIS norms for coastal Douglas-fir soils in Washington and Oregon 208

Tom R. Cottrell Willow colonization of Rocky Mountain mires 215

Nathan L. Stephenson and Athena Demetry Estimating ages of giant sequoias 223

B.R. Dhamala and M.J. Mitchell Sulfur speciation, vertical distribution, and seasonal variation in a northern hardwood forest soil, U.S.A. 234

G.W. Slaughter and J.R. Parmeter, Jr. Enlargement of tree-mortality centers surrounding pine stumps infected by *Heterobasidion annosum* in northeastern California 244

A.T. Wolf, T.E. Burk, and J.G. Isebrands Estimation of daily and seasonal whole-tree photosynthesis using Monte Carlo integration techniques 253

Lisa R. St. Hilaire and Donald J. Leopold Conifer seedling distribution in relation to microsite conditions in a central New York forested minerotrophic peatland 261

T.J. Mullin, G.W. Adams, J.D. Simpson, K.J. Tosh, and M.S. Greenwood Genetic parameters and correlations in tests of open-pollinated black spruce families in field and retrospective nursery test environments 270

Kevin Bishop and Etienne Dambrine Localization of tree water uptake in Scots pine and Norway spruce with hydrological tracers 286

L.E. Nelson, M.G. Shelton, and G.L. Switzer The influence of nitrogen applications on the resorption of foliar nutrients in sweetgum 298

Sonia Duchesne et Luc Sirois Phase initiale de régénération après feu des populations conifériennes subarctiques 307

Barbara Condon and Wiktor Adamowicz The economic value of moose hunting in Newfoundland 319

Pierre Pominville et Jean-Claude Ruel Effets de la coupe à blanc et de la coupe par bandes sur la régénération obtenue après 5 ans dans des pessières noires du Québec 329

Christian Messier and Pasi Puttonen Spatial and temporal variation in the light environment of developing Scots pine stands: the basis for a quick and efficient method of characterizing light 343

P.R. Kapeluck and D.H. Van Lear A technique for estimating below-stump biomass of mature loblolly pine plantations 355

D.H. Van Lear and P.R. Kapeluck Above- and below-stump biomass and nutrient content of a mature loblolly pine plantation 361

March / Mars

Stephen John Colombo, Victor Robbert Timmer, Melanie Louise Colclough, and Eduardo Blumwald Diurnal variation in heat tolerance and heat shock protein expression in black spruce (*Picea mariana*) 369

Andrew N. Gray and Thomas A. Spies Water content measurement in forest soils and decayed wood using time domain reflectometry 376

Timothy R. Wilmot, David S. Ellsworth, and Melvin T. Tyree Relationships among crown condition, growth, and stand nutrition in seven northern Vermont sugarbushes 386

G.-É Caron and R.A. Fleming A simple method for estimating the number of seed cones on individual black spruce 398

Gregory A. Carter, Joanne Rebbeck, and Kevin E. Percy Leaf optical properties in *Liriodendron tulipifera* and *Pinus strobus* as influenced by increased atmospheric ozone and carbon dioxide 407

R.L. Korol, S.W. Running, and K.S. Milner Incorporating intertree competition into an ecosystem model 413

J.J. Bollig, J.R. Seiler, S.M. Zedaker, J.W. Thompson, and D. Lucero Effect of plant moisture stress and application surface on uptake and translocation of triclopyr with organosilicone surfactant in red maple seedlings 425

Kurt H. Johnsen and John E. Major Gas exchange of 20-year-old black spruce families displaying a genotype × environment interaction in growth rate 430

C.M. Wake, P.R. Schaefer, L.K. Jost, and D.P. Evenson Analysis of intraspecific nuclear DNA content variation in *Gleditsia triacanthos* by flow cytometry 440

S.V. Stehman and M.P. Meredith Practical analysis of factorial experiments in forestry 446

S.J. Zarnoch, R.L. Anderson, and R.M. Sheffield Using the β–binomial distribution to characterize forest health 462

P.M. Miller, L.E. Eddleman, and J.M. Miller *Juniperus occidentalis* juvenile foliage: advantages and disadvantages for a stress-tolerant, invasive conifer 470

Michael G. Shelton Effects of the amount and composition of the forest floor on emergence and early establishment of loblolly pine seedlings 480

Paul C. Van Deusen Difference sampling as an alternative to importance sampling 487

Nigel T. Roulet and T.R. Moore The effect of forestry drainage practices on the emission of methane from northern peatlands 491

Nuno M.G. Borralho and Peter J. Kanowski Correspondence of performance between genetically related clones and seedlings 500

Anders Lindström and Erik Troeng Temperature variations in planting mounds during winter 507

R.P. Brockley Effects of nitrogen source and season of application on the nutrition and growth of lodgepole pine 516

ERRATUM

Atsushi Yoshimoto and J. Douglas Brodie Erratum: Comparative analysis of algorithms to generate adjacency constraints 527

April / Avril

Lars Edenius, Kjell Danell, and Hans Nyquist Effects of simulated moose browsing on growth, mortality, and fecundity in Scots pine: relations to plant productivity 529

David Pothier, René Doucet, and Jocelyn Boily The effect of advance regeneration height on future yield of black spruce stands 536

Zhang Ming Wang, Martin J. Lechowicz, and Catherine Potvin Responses of black spruce seedlings to simulated present versus future seedbed environments 545

Pierre LaRue, Louis Bélanger, and Jean Huot Riparian edge effects on boreal balsam fir bird communities 555

C.Y. Xie, W.D. Johnstone, and C.C Ying Spacing and provenance effects on the performance of shore pine (*Pinus contorta* var. *contorta*): 20-year test results 567

Gilles Robitaille, Robert Boutin, and Denis Lachance Effects of soil freezing stress on sap flow and sugar content of mature sugar maples (*Acer saccharum*) 577

Robert Boutin and Gilles Robitaille Increased soil nitrate losses under mature sugar maple trees affected by experimentally induced deep frost 588

Andrew M. Gordon, James A. Simpson, and Peter A. Williams Six-year response of red oak seedlings planted under a shelterwood in central Ontario 603

Henry Spelter Capacity changes in U.S. particleboard, southern pine plywood, and oriented strandboard industries 614

Dan Binkley, F.W. Smith, and Y. Son Nutrient supply and declines in leaf area and production in lodgepole pine 621

Christian Messier and Pasi Puttonen Growth, allocation, and morphological responses of *Betula pubescens* and *Betula pendula* to shade in developing Scots pine stands 629

Jagdish C. Nautiyal, Shashi Kant, and Jeremy S. Williams A mechanism for tracking the value of standing timber in an imperfect market 638

Jagdish C. Nautiyal, Shashi Kant, and Jeremy S. Williams A transaction evidence based estimate of the stumpage value of some southern Ontario forest species 649

Marc D. Abrams and Charles M. Ruffner Physiographic analysis of witness-tree distribution (1765–1798) and present forest cover through north central Pennsylvania 659

Donald R. Tobi, Philip M. Wargo, and Dale R. Bergdahl Growth response of red spruce after known periods of winter injury 669

NOTE

C.W.G. Templeton and S.J. Colombo A portable system to quantify seedling damage using stress-induced volatile emissions 682

May / Mai

Carl J. Mikan and Marc D. Abrams Altered forest composition and soil properties of historic charcoal hearths in southeastern Pennsylvania 687

Y.T. Kim and C. Glerum Seasonal free amino acid fluctuations in red pine and white spruce needles 697

R.L. Hedden, T.S. Fredericksen, and S.A. Williams Modeling the effect of crown shedding and streamlining on the survival of loblolly pine exposed to acute wind 704

Ingeborg Steijlen, Marie-Charlotte Nilsson, and Olle Zackrisson Seed regeneration of Scots pine in boreal forest stands dominated by lichen and feather moss 713

Ronda L. Little, David L. Peterson, David G. Silsbee, Lauri J. Shainsky, and Larry F. Bednar Radial growth patterns and the effects of climate on second-growth Douglas-fir (*Pseudotsuga menziesii*) in the Siskiyou Mountains, Oregon 724

Glenn R. Furnier and Michael Stine Interpopulation differentiation of nuclear and chloroplast loci in white spruce 736

Jean-Pierre Simon, Yves Payette, and Marie-Hélène Longpré Comparative analysis of the genetic composition of canopy and juvenile sugar maple individuals (*Acer saccharum*) in an old-growth forest in southern Quebec as related to anthropogenic disturbance 743

C.J. Liu Using portable laser EDM for forest traverse surveys 753

Brian J. Palik and Kurt S. Pregitzer Variability in early height growth rate of forest trees: implications for retrospective studies of stand dynamics 767

M.E. Colenutt and B.H. Luckman The dendrochronological characteristics of alpine larch 777

Urban Nilsson and Göran Örlander Effects of regeneration methods on drought damage to newly planted Norway spruce seedlings 790

John P. McTague and William F. Stansfield Stand, species, and tree dynamics of an uneven-aged, mixed conifer forest type 803

Michael E. Ostry and Neil A. Anderson Infection of *Populus tremuloides* by *Hypoxylon mammatum* ascospores through *Saperda inornata* galls 813

Gregory M. Filip and Donald J. Goheen Precommercial thinning in *Pseudotsuga*, *Tsuga*, and *Abies* stands affected by armillaria root disease: 10-year results 817

John L. Jifon, Alexander L. Friend, and Paul C. Berrang Species mixture and soil-resource availability affect the root growth response of tree seedlings to elevated atmospheric CO_2 824

NOTES

C.M. Preston and D.J. Mead Long-term recovery in the soil profile of ^{15}N from Douglas-fir needles decomposing in the forest floor 833

George A. Schier and Roy L. Patton Damping-off disease of pine seedlings on soils treated with simulated acidic rain 838

Steven A. Knowe Evaluation of objective estimates of treatment efficacy for bigleaf maple 844

DISCUSSION

A.H. Johnson, E.R. Cook, T.G. Siccama, J.J. Battles, S.B. McLaughlin, D.C. LeBlanc, and P.M. Wargo Comment: Synchronic large-scale disturbances and red spruce growth decline 851

Gregory A. Reams and Paul C. Van Deusen Reply: Synchronic large-scale disturbances and red spruce growth decline 859

June / Juin

Thomas B. Lynch Use of a tree volume equation based on two lower-stem diameters to estimate forest volume from sample tree counts 871

Sylvain Parent et Christian Messier Effets d'un gradient de lumière sur la croissance en hauteur et la morphologie de la cime du sapin baumier régénéré naturellement 878

Erik Valinger, Lars Lundqvist, and Björn Sundberg Mechanical bending stress applied during dormancy and (or) growth stimulates stem diameter growth of Scots pine seedlings 886

Gavin Kernaghan, Shannon Berch, and Reid Carter Effect of urea fertilization on ectomycorrhizae of 20-year-old *Tsuga heterophylla* 891

David A. MacLean and Harald Piene Spatial and temporal patterns of balsam fir mortality in spaced and unspaced stands caused by spruce budworm defoliation 902

K.M. Morton, W.L. Adamowicz, and P.C. Boxall Economic effects of environmental quality change on recreational hunting in northwestern Saskatchewan: a contingent behaviour analysis 912

G.-É. Caron Seed-cone and pollen-cone production models for young black spruce seedling seed orchards: a first approximation 921

Seppo Kellomäki and Hannu Väisänen Model computations on the impact of changing climate on natural regeneration of Scots pine in Finland 929

E.-D. Schulze, W. Schulze, F.M. Kelliher, N.N. Vygodskaya, W. Ziegler, K.I. Kobak, H. Koch, A. Arneth, W.A. Kusnetsova, A. Sogatchev, A. Issajev, G. Bauer, and D.Y. Hollinger Aboveground biomass and nitrogen nutrition in a chronosequence of pristine Dahurian *Larix* stands in eastern Siberia 943

F.J. Bunny, D.S. Crombie, and M.R. Williams Growth of lesions of *Phytophthora cinnamomi* in stems and roots of jarrah (*Eucalyptus marginata*) in relation to rainfall and stand density in mediterranean forest of Western Australia 961

Annikki Mäkelä, Katri Virtanen, and Eero Nikinmaa The effects of ring width, stem position, and stand density on the relationship between foliage biomass and sapwood area in Scots pine (*Pinus sylvestris*) 970

Daowei Zhang and Clark S. Binkley The economic effect of forest policy changes in British Columbia: an event study of stock-market returns 978

Tricia L. Wurtz Understory alder in three boreal forests of Alaska: local distribution and effects on soil fertility 987

S. Brais, C. Camiré, and D. Paré Impacts of whole-tree harvesting and winter windrowing on soil pH and base status of clayey sites of northwestern Quebec 997

Bart J. van der Kamp The spatial distribution of *Armillaria* root disease in an uneven-aged, spatially clumped Douglas-fir stand 1008

Vikram Malik and Victor R. Timmer Interaction of nutrient-loaded black spruce seedlings with neighbouring vegetation in greenhouse environments 1017

S. Gao and L. Shain Effects of osmotic potential on virulent and hypovirulent strains of the chestnut blight fungus 1024

S. Gao and L. Shain Effects of water stress on chestnut blight 1030

James M. Vose, Neal H. Sullivan, Barton D. Clinton, and Paul V. Bolstad Vertical leaf area distribution, light transmittance, and application of the Beer–Lambert Law in four mature hardwood stands in the southern Appalachians 1036

NOTE

James A. Entry and William H. Emmingham Sequestration of ^{137}Cs and ^{90}Sr from soil by seedlings of *Eucalyptus tereticornis* 1044

July / Juillet

Robert L. Edmonds and Ted B. Thomas Decomposition and nutrient release from green needles of western hemlock and Pacific silver fir in an old-growth temperate rain forest, Olympic National Park, Washington 1049

Denise Tousignant, Michel Villeneuve, Michel Rioux, and Stéphan Mercier Effect of tree flowering and crown position on rooting success of cuttings from 9-year-old black spruce of seedling origin 1058

David D. Reed, Glenn D. Mroz, Hal O. Liechty, Elizabeth A. Jones, Peter J. Cattelino, Nicholas J. Balster, and Yunfeng Zhang Above- and below-ground biomass of precompetitive red pine in northern Michigan 1064

S. Åkerman, J. Tammisola, S.P. Lapinjoki, H. Söderlund, V. Kauppinen, A. Viherä-Aarnio, M. Regina, and R. Hagqvist RAPD markers in parentage confirmation of a valuable breeding progeny of European white birch 1070

J.W. Groninger, J.R. Seiler, S.M. Zedaker, and P.C. Berrang Effects of elevated CO_2, water stress, and nitrogen level on competitive interactions of simulated loblolly pine and sweetgum stands 1077

B.D. Keeland and R.R. Sharitz Seasonal growth patterns of *Nyssa sylvatica* var. *biflora*, *Nyssa aquatica*, and *Taxodium distichum* as affected by hydrologic regime 1084

L.N. Lundgren, H. Pan, O. Theander, H. Eriksson, U. Johansson, and M. Svenningsson Development of a new chemical method for distinguishing between *Betula pendula* and *Betula pubescens* in Sweden 1097

Sylvie Richard, Sylvie Gauthier, and Sylvie Laliberté Isozyme assessment of the genetic stability of micropropagated hybrid larch (*Larix* × *eurolepis* Henry) 1103

Melinda H. Lo, Lawrence P. Abrahamson, Edwin H. White, and Paul D. Manion Early measures of basal area and canker disease predict growth potential of some hybrid poplar clones 1113

Michael A. Jenkins and Stephen G. Pallardy The influence of drought on red oak group species growth and mortality in the Missouri Ozarks 1119

Donald P. Ostaff and David A. MacLean Patterns of balsam fir foliar production and growth in relation to defoliation by spruce budworm 1128

Abul K.M. Ekramoddoullah, Doug Taylor, and Barbara J. Hawkins Characterization of a fall protein of sugar pine and detection of its homologue associated with frost hardiness of western white pine needles 1137

M.A. Powell, R.A. Eaton, and J.F. Webber The role of micro-arthropods in the defacement of sawn lumber by sapstain and mould fungi 1148

G.J. Nabuurs and G.M.J. Mohren Modelling analysis of potential carbon sequestration in selected forest types 1157

Terry F. Strong, Gayne G. Erdmann, and Jeff N. Niese Forty years of alternative management practices in second-growth, pole-size northern hardwoods. I. Tree quality development 1173

Jeffrey N. Niese, Terry F. Strong, and Gayne G. Erdmann Forty years of alternative management practices in second-growth, pole-size northern hardwoods. II. Economic evaluation 1180

Ewa Lidén Attrition in Swedish forestry work from 1986 to 1990: extent and causes 1189

Tang Qian, R.A. Ennos, and T. Helgason Genetic relationships among larch species based on analysis of restriction fragment variation for chloroplast DNA 1197

NOTE

Michael S. Williams Improved estimation of domain totals in forest surveys 1203

August / Août

REVIEW / SYNTHÈSE

R.D. Whitney Root-rotting fungi in white spruce, black spruce, and balsam fir in northern Ontario 1209

ARTICLES

James A. Entry and Carole B. Backman Influence of carbon and nitrogen on cellulose and lignin degradation in forest soils 1231

K.T. Smith, W.C. Shortle, and W.D. Ostrofsky Aluminum and calcium in fine root tips of red spruce collected from the forest floor 1237

James M. Vose, Katherine J. Elliott, Dale W. Johnson, Roger F. Walker, Mark G. Johnson, and David T. Tingey Effects of elevated CO_2 and N fertilization on soil respiration from ponderosa pine (*Pinus ponderosa*) in open-top chambers 1243

George A. Schier and Carolyn J. McQuattie Effect of aluminum on the growth, anatomy, and nutrient content of ectomycorrhizal and nonmycorrhizal eastern white pine seedlings 1252

Louise Filion and Luc Cournoyer Variation in wood structure of eastern larch defoliated by the larch sawfly in subarctic Quebec, Canada 1263

David C. Shaw, Robert L. Edmonds, Willis R. Littke, John E. Browning, and Kenelm W. Russel Incidence of wetwood and decay in precommercially thinned western hemlock stands 1269

J. Clive Carlyle Nutrient management in a *Pinus radiata* plantation after thinning: the effect of thinning and residues on nutrient distribution, mineral nitrogen fluxes, and extractable phosphorus 1278

Denis Thibault, Jean Bégin et Louis Bélanger Relations entre des indicateurs de croissance du sapin baumier en début d'épidémie et sa vulnérabilité à la tordeuse des bourgeons de l'épinette 1292

Jean Bégin et Frédéric Raulier Comparaison de différentes approches, modèles et tailles d'échantillons pour l'établissement de relations hauteur–diamètre locales 1303

Minna Turunen, Satu Huttunen, Jaana Bäck, and Jukka Lamppu Acid-rain-induced changes in cuticles and Ca distribution in Scots pine and Norway spruce seedlings 1313

Peter J. Weisberg and William L. Baker Spatial variation in tree regeneration in the forest–tundra ecotone, Rocky Mountain National Park, Colorado 1326

John D. Castello, Philip M. Wargo, Volker Jacobi, George D. Bachand, Donald R. Tobi, and Mary A. M. Rogers Tomato mosaic virus infection of red spruce on Whiteface Mountain, New York: prevalence and potential impact 1340

Chris E. Johnson Soil nitrogen status 8 years after whole-tree clear-cutting 1346

Göran Hallsby Field performance of outplanted Norway spruce: effects of organic matter amendments and site preparation 1356

John E. Preece, Sharon A. Bates, and J.W. Van Sambeek Germination of cut seeds and seedling growth of ash (*Fraxinus* spp.) in vitro 1368

Yves Bergeron, Alain Leduc, Hubert Morin, and Claude Joyal Balsam fir mortality following the last spruce budworm outbreak in northwestern Quebec 1375

T.A. Black and J.W. Harden Effect of timber harvest on soil carbon storage at Blodgett Experimental Forest, California 1385

M.J. Dieters, T.L. White, and G.R. Hodge Genetic parameter estimates for volume from full-sib tests of slash pine (*Pinus elliottii*) 1397

September / Septembre

S.R. Pezeshki, R.D. DeLaune, and H.S. Choi Gas exchange and growth of bald cypress seedlings from selected U.S. Gulf Coast populations: responses to elevated salinities 1409

Alan T. Murray and Richard L. Church Measuring the efficacy of adjacency constraint structure in forest planning models 1416

T.J. Tschaplinski, G.M. Gebre, J.E. Dahl, G.T. Roberts, and G.A. Tuskan Growth and solute adjustment of calli of *Populus* clones cultured on nutrient medium containing polyethylene glycol 1425

C. John Runions, Glenda L. Catalano, and John N. Owens Pollination mechanism of seed orchard interior spruce 1434

R. van den Driessche and D. Ponsford Nitrogen induced potassium deficiency in white spruce (*Picea glauca*) and Engelmann spruce (*Picea engelmannii*) seedlings 1445

Shongming Huang and Stephen J. Titus An individual tree diameter increment model for white spruce in Alberta 1455

Tim Parshall Canopy mortality and stand-scale change in a northern hemlock–hardwood forest 1466

M. Gabrielle Paulser, William A. Ayer, and Yasuyuki Hiratsuka Benzoic acid, salicylic acid, and the role of black galls on aspen in protection against decay 1479

Gerardo Segura, Thomas M. Hinckley, and Linda B. Brubaker Variations in radial growth of declining old-growth stands of *Abies amabilis* after tephra deposition from Mount St. Helens 1484

Gerardo Segura, Thomas M. Hinckley, and Chadwick D. Oliver Stem growth responses of declining mature *Abies amabilis* trees after tephra deposition from Mount St. Helens 1493

Juha A. Kaitera and Risto E. Jalkanen Comparison of *Gremmeniella abietina* historical damage to Scots pines 1503

Michel Crête, Bruno Drolet, Jean Huot, Marie-Josée Fortin et G.J. Doucet Chronoséquence après feu de la diversité de mammifères et d'oiseaux au nord de la forêt boréale québécoise 1509

Solange Nadeau et Luc Bouthillier Modélisation du mouvement du prix du bois à pâte issu de la forêt privée québécoise entre 1943 et 1990 1519

Jean-Claude Ruel, René Doucet, and Jocelyn Boily Mortality of balsam fir and black spruce advance growth 3 years after clear-cutting 1528

Steven A. Knowe and William I. Stein Predicting the effects of site preparation and protection on development of young Douglas-fir plantations 1538

NOTES

H.T. Schreuder and T.G. Gregoire Estimating condition areas and boundary lengths in sample plots with mapped designs 1548

Kevin L. O'Hara and Narayanan I. Valappil Sapwood – leaf area prediction equations for multi-aged ponderosa pine stands in western Montana and central Oregon 1553

October / Octobre

Sirkku Manninen and Satu Huttunen Scots pine needles as bioindicators of sulphur deposition 1559

D.C. Hornsby, B.G. Lockaby, and A.H. Chappelka Influence of microclimate on decomposition in loblolly pine stands: a field microcosm approach 1570

H.T. Schreuder and M.S. Williams Assessing measures of tree competition using fixed-area, variable-radius, and horizontal-line plot sampling 1578

Robert G. Knox, P.A. Harcombe, and I. Sandra Elsik Contrasting patterns of resource limitation in tree seedlings across a gradient in soil texture 1583

Scott X. Chang, Caroline M. Preston, and Gordon F. Weetman Soil microbial biomass and microbial and mineralizable N in a clear-cut chronosequence on northern Vancouver Island, British Columbia 1595

Akira Osawa Inverse relationship of crown fractal dimension to self-thinning exponent of tree populations: a hypothesis 1608

Andrés Weintraub, Greg Jones, Mary Meacham, Adrian Magendzo, Ariel Magendzo, and Daniel Malchuk Heuristic procedures for solving mixed-integer harvest scheduling – transportation planning models 1618

Qishui Zhang and Yuwu Liang Effects of gap size on nutrient release from plant litter decomposition in a natural forest ecosystem 1627

Sybille Haeussler, John C. Tappeiner II, and Brian J. Greber Germination, survival, and early growth of red alder seedlings in the central Coast Range of Oregon 1639

Christian Paul Giardina, Steve Huffman, Dan Binkley, and Bruce A. Caldwell Alders increase soil phosphorus availability in a Douglas-fir plantation 1652

Brian D. Harvey, Alain Leduc, and Yves Bergeron Early postharvest succession in relation to site type in the southern boreal forest of Quebec 1658

J.C. Carlyle Nutrient management in a *Pinus radiata* plantation after thinning: the effect of nitrogen fertilizer on soil nitrogen fluxes and tree growth 1673

Thomas Kitzberger, Thomas T. Veblen, and Ricardo Villalba Tectonic influences on tree growth in northern Patagonia, Argentina: the roles of substrate stability and climatic variation 1684

J. Beaulieu and J.-P. Simon Mating system in natural populations of eastern white pine in Quebec 1697

M.F. Proe and P. Millard Effect of N supply upon the seasonal partitioning of N and P uptake in young Sitka spruce (*Picea sitchensis*) 1704

J.M. Dunlap, P.E. Heilman, and R.F. Stettler Genetic variation and productivity of *Populus trichocarpa* and its hybrids. VIII. Leaf and crown morphology of native *P. trichocarpa* clones from four river valleys in Washington 1710

NOTE

René I. Alfaro An induced defense reaction in white spruce to attack by the white pine weevil, *Pissodes strobi* 1725

November / Novembre

Klaus J. Puettmann and Peter B. Reich The differential sensitivity of red pine and quaking aspen to competition 1731

Sophie Calmé, Hank A. Margolis, Francine J. Bigras, and Daniel Mailly The relationship between water content and frost tolerance in shoots of hardwood seedlings 1738

C.P.S. Larsen and G.M. MacDonald Relations between tree-ring widths, climate, and annual area burned in the boreal forest of Alberta 1746

Jayson R. Waterman, Andrew R. Gillespie, James M. Vose, and Wayne T. Swank The influence of mountain laurel on regeneration in pitch pine canopy gaps of the Coweeta Basin, North Carolina, U.S.A. 1756

Tannis Beardmore and Pierre J. Charest Black spruce somatic embryo germination and desiccation tolerance. I. Effects of abscisic acid, cold, and heat treatments on the germinability of mature black spruce somatic embryos 1763

Tannis Beardmore and Pierre J. Charest Black spruce somatic embryo germination and desiccation tolerance. II. Effect of an abscisic acid treatment on protein synthesis 1773

Thomas B. Lynch Variance reduction in Ueno's method and cylinder sampling for forest volume estimation 1783

C.J. Liu and Richard (Dick) Brantigan Using differential GPS for forest traverse surveys 1795

Virpi Palomäki Effects of magnesium deficiency on needle ultrastructure and growth of Scots pine seedlings 1806

David Pothier Effets des coupes d'éclaircie et des variations climatiques interannuelles sur la production et la teneur en sucre de la sève d'une érablière 1815

Martin K. Luckert and David Haley The allowable cut effect as a policy instrument in Canadian forestry 1821

Emin Z. Baskent and Glen A. Jordan Characterizing spatial structure of forest landscapes 1830

Rodney J. Keenan, Cindy E. Prescott, and J.P. (Hamish) Kimmins Litter production and nutrient resorption in western red cedar and western hemlock forests on northern Vancouver Island, British Columbia 1850

Jeffrey D. May and Keith T. Killingbeck Effects of herbivore-induced nutrient stress on correlates of fitness and on nutrient resorption in scrub oak (*Quercus ilicifolia*) 1858

Gregory P. Zogg and Burton V. Barnes Ecological classification and analysis of wetland ecosystems, northern Lower Michigan, U.S.A. 1865

NOTES

Kiyoshi Umeki A comparison of crown asymmetry between *Picea abies* and *Betula maximowicziana* 1876

Gaku Kudo Altitudinal effects on leaf traits and shoot growth of *Betula platyphylla* var. *japonica* 1881

ERRATUM

J.C.G. Goelz and T.E. Burk Erratum: Development of a well-behaved site index equation: jack pine in north central Ontario 1886

December / Décembre

G. Vollbrecht and B. Bilde Jørgensen Modelling the incidence of butt rot in plantations of *Picea abies* in Denmark 1887

John A. Kershaw, Jr., and Douglas A. Maguire Crown structure in western hemlock, Douglas-fir, and grand fir in western Washington: trends in branch-level mass and leaf area 1897

N.C. Wheeler, K.S. Jech, S.A. Masters, C.J. O'Brien, D.W. Timmons, R.W. Stonecypher, and A. Lupkes Genetic variation and parameter estimates in *Taxus brevifolia* (Pacific yew) **1913**

Risto Ojansuu and Matti Maltamo Sapwood and heartwood taper in Scots pine stems **1928**

Ben A. Bergmann, Sue D. Carson, and Anne-Marie Stomp Heritability of in vitro characteristics and correlation with field performance in *Pinus radiata* **1944**

J. Gagnon, C.G. Langlois, D. Bouchard, and F. Le Tacon Growth and ectomycorrhizal formation of container-grown Douglas-fir seedlings inoculated with *Laccaria bicolor* under four levels of nitrogen fertilization **1953**

B.J. van der Kamp, M. Karlman, and J. Witzell Relative frequency of bole and branch infection of lodgepole pine by western gall rust **1962**

Lauri J. Shainsky and Cathy L. Rose Effects of competition on the foliar chemistry of young Douglas-fir in monoculture and mixed stands with young red alder **1969**

G.F. Weetman, L.C. Dallaire, and R. Fournier Long-term effects of repeated N fertilization and straw application in a jack pine forest. 1. Twenty-two-year growth response **1978**

C.E. Prescott, J.W. Kumi, and G.F. Weetman Long-term effects of repeated N fertilization and straw application in a jack pine forest. 2. Changes in the ericaceous ground vegetation **1984**

C.E. Prescott, B.E. Kishchuk, and G.F. Weetman Long-term effects of repeated N fertilization and straw application in a jack pine forest. 3. Nitrogen availability in the forest floor **1991**

Michael D. Cain and Michael G. Shelton Thirty-eight years of autogenic, woody understory dynamics in a mature, temperate pine–oak forest **1997**

Chang-Yi Xie and Cheng C. Ying Genetic architecture and adaptive landscape of interior lodgepole pine (*Pinus contorta* ssp. *latifolia*) in Canada **2010**

Rose Wilson, Ann Cataldo, and Christian P. Andersen Determination of total nonstructural carbohydrates in tree species by high-performance anion-exchange chromatography with pulsed amperometric detection **2022**

NOTES

Cornelia Krause and Hubert Morin Impact of spruce budworm defoliation on the number of latewood tracheids in balsam fir and black spruce **2029**

Alan H. Taylor, Zisheng Qin, and Jie Liu Tree regeneration in an *Abies faxoniana* forest after bamboo dieback, Wang Lang Natural Reserve, China **2034**

RAPID COMMUNICATION / COMMUNICATION RAPIDE

G.R. Strimbeck, P.G. Schaberg, D.H. DeHayes, J.B. Shane, and G.J. Hawley Midwinter dehardening of montane red spruce during a natural thaw **2040**

Note of appreciation **iii**

Note de reconnaissance **iii**

Author index for Volume 25 **AI-1**

Index des auteurs pour le volume 25 **AI-1**

Contents for Volume 25 **C-1**

Sommaire pour le volume 25 **C-1**